

ECONOMETRICA

JOURNAL OF THE ECONOMETRIC SOCIETY

*An International Society for the Advancement of Economic
Theory in its Relation to Statistics and Mathematics*

<https://www.econometricsociety.org/>

Econometrica, Vol. 90, No. 4 (July, 2022), 1–2

COMMENT ON ANDREWS (1991) “HETEROSKEDASTICITY AND
AUTOCORRELATION CONSISTENT COVARIANCE MATRIX ESTIMATION”

ALESSANDRO CASINI

Department of Economics and Finance, University of Rome Tor Vergata

The copyright to this Article is held by the Econometric Society. It may be downloaded, printed and reproduced only for educational or research purposes, including use in course packs. No downloading or copying may be done for any commercial purpose without the explicit permission of the Econometric Society. For such commercial purposes contact the Office of the Econometric Society (contact information may be found at the website <http://www.econometricsociety.org> or in the back cover of *Econometrica*). This statement must be included on all copies of this Article that are made available electronically or in any other format.

COMMENT ON ANDREWS (1991) “HETEROSKEDASTICITY AND AUTOCORRELATION CONSISTENT COVARIANCE MATRIX ESTIMATION”

ALESSANDRO CASINI

Department of Economics and Finance, University of Rome Tor Vergata

This comment includes a solution to a problem in Section 8 in [Andrews \(1991\)](#) and points out a method to generalize the mean-squared error (MSE) bounds appearing in [Andrews \(1988\)](#) and [Andrews \(1991\)](#).

KEYWORDS: HAC estimator, nonstationarity.

SECTION 8 OF [ANDREWS \(1991\)](#) extends results in previous sections of the paper for fourth-order stationary processes to nonstationary processes using the results in the working paper version of the paper, [Andrews \(1988\)](#). Assumption A* in Section 8 is not sufficient for the stated results because it fails to include a condition in (2.11) of [Andrews \(1988\)](#). Specifically, as in [Andrews \(1988, p. 12\)](#), let P_1 be a distribution such that $\{V_t\}$ is a mean zero, second-order stationary sequence under P_1 with autocovariance function $\{\Gamma_1(j) : j = 0, \pm 1, \dots\}$ and $\{V_t\}$ has spectral density function $f_1(\lambda) = (2\pi)^{-1} \sum_{j=-\infty}^{\infty} \Gamma_1(j) e^{-ij\lambda}$. Assumption A* in [Andrews \(1991\)](#) should be augmented by Assumption A**, which requires $-\Gamma_1(j) \leq \mathbb{E}(V_t V'_{t-j}) \leq \Gamma_1(j)$ for all $t \geq 1, j \geq -t + 1$, as in (2.11) of [Andrews \(1988\)](#). The term $b'fb$ that appears in the second summand of the bound on the MSE in the equation on p. 840 of [Andrews \(1991\)](#) should be $b'f_1b$ with $f_1 = f_1(0)$ as in Lemma 1(b) and Theorem 1(b) of [Andrews \(1988\)](#) ($b'f_1b$ corresponds to f_{1b} in [Andrews \(1988\)](#) where $f_{1b} = f_{1b}(0)$ and $f_{vb}(\lambda) = (2\pi)^{-1} \sum_{j=-\infty}^{\infty} b' \Gamma_v(j) b e^{-ij\lambda}$ with $v = 1$). (Note that Assumption A** is not needed for the extension of Proposition 1(b) of [Andrews \(1991\)](#) to nonstationary time series.)

The optimality results based on a minimax MSE criterion for kernels and bandwidths sequences under nonstationarity established by [Andrews \(1988\)](#) and the MSE upper bound established by [Andrews \(1991\)](#) in Section 8 can be generalized as follows. Andrews expressed the bounds in terms of the distributions of two different second-order stationary processes. The bounds apply to a class of nonstationary processes. The two distributions provide upper and lower bounds, respectively, to the autocovariances of the nonstationary processes in the class. This class can be enlarged if the two distributions are taken to be those of some nonstationary processes that satisfy certain restrictions [e.g., piecewise local stationarity as in [Casini \(2021\)](#)], thereby allowing for more variability of $\mathbb{E}(V_t V'_{t-j})$ and serial dependence of $\{V_t\}$. The resulting minimax MSE bounds can also provide information on how nonstationarity influences the estimation bias. See [Casini \(2021\)](#) and [Casini and Perron \(2021\)](#) for formal details.

REFERENCES

- ANDREWS, DONALD W. K. (1988): “Heteroskedasticity and Autocorrelation Consistent Covariance Matrix Estimation,” Cowles Foundation Discussion Paper No. 877, Yale University. [o1]
——— (1991): “Heteroskedasticity and Autocorrelation Consistent Covariance Matrix Estimation,” *Econometrica*, 59, 817–858. [o1]

Alessandro Casini: alessandro.casini@uniroma2.it
I thank Donald Andrews for his comments.

CASINI, ALESSANDRO (2021): “Theory of Evolutionary Spectra for Heteroskedasticity and Autocorrelation Robust Inference in Possibly Misspecified and Nonstationary Models,” *Journal of Econometrics* (forthcoming). [o1]

CASINI, ALESSANDRO, AND PIERRE PERRON (2021): “Prewhitened Long-Run Variance Estimation Robust to Nonstationarity,”. arXiv preprint [arXiv:2103.02235v2](https://arxiv.org/abs/2103.02235v2). [o1]

Co-editor Guido Imbens handled this manuscript.

Manuscript received 14 September, 2021; final version accepted 24 March, 2022.